

Project Name:	Location:	Date:	Qty:
Fixture Type:	Prepared by:	Comments:	

This Wall Pack Series uses 28-1.1 watt CREE LEDs . The luminous flux is up to 3,321 lm.



Specifications:

LED Source: 28 LEDs @ 1.1W

Total Power Consumption: 39W

LED Efficiency: 114 lm/W for 36W, 100 lm/W for 50W

LED Luminous flux: 3500 lm

Effective Light Angle: 100° x 50°

Voltage: AC (100 to 277V)

Power Factor (PF): > 0.95

Color Temperature: Day White (4500K - 5000K)

THD: <20%

Operating Temp: 55°C internal @ 25°C

LED Lumens at Operating Temp: 3321 lm

CRI: Ra > 80

IP Rating: IP65

Working Temp: -30C to 45C

Environmentally Friendly: NO UV, IR, Lead or Mercury

Supply Rating: 75,000 hours @ 80C

30% LED Depreciation: >60,000Hrs

High Intensity Frosted Tempered Glass Cover

Certifications: UL, cUL, Wet Locations, Pending

Features:

Construction:

Rugged one-piece die cast aluminum housing and door frame.

One-piece silicone gasket protects the optics chamber from performance degrading contaminants.

Mounting:

Wall mounting systems for easy installation and maintenance.


Finish:

Housing and Arm finished in a 5 stage polyester power coat paint. The finish color is dark Bronze.

Reflector:

Premium 95% reflective anodized aluminum or Stainless Steel


All segments are rigidly mounted.



3 Year Labor and Part Warranty against manufacturer defect is provided to use under normal operating conditions. Proof of purchase must be provided when warranty service is requested. Notice that improper use or unauthorized repair will not be covered by the warranty. S3J Electronics reserves the right to make changes to this document and to the product without notice.

WWP109 LED Wall Pack Lamp Series

Ordering Information:



Dimensions:

